Pain 103 (2003) 325–327

PAIN

www.elsevier.nl/locate/pain

Author Index to Volume 103 (2003)

Ahles, T.A., see Keefe, F.J., **103** 155
Alcock, E., Regaard, A., Browne, J., Facet joint injection: a rare form cause of epidural abscess formation, **103** 207
Alloui, A., see Marchand, F., **103** 229
Araujo, M.C., Sinnott, C.J., Strichartz, G.R., Multiple phases of relief from experimental mechanical allodynia by systemic lidocaine: responses to early and late infusions, **103** 21
Ardid, D., see Marchand, F., **103** 229
Arendt-Nielsen, L., see Romaniello, A., **103** 31
Averbeck, B., see Zimmermann, K., **103** 313

Bach, F.W., see Gottrup, H., **103** 55
Baker, R., Dreyfuss, P., Mercer, S., Bogduk, N., Cervical transforaminal injection of corticosteroids into a radicular artery: a possible mechanism for spinal cord injury, **103** 209
Baucom, D.H., see Keefe, F.J., **103** 155
Benrud-Larson, L.M., see Sandroni, P., **103** 197
Bernard, J.-F., see Monconduit, L., **103** 81
Blyth, F.M., March, L.M., Nicholas, M.K., Cousins, M.J., Chronic pain, work performance and litigation, **103** 39
Bogduk, N., see Baker, R., **103** 209
Bonicalzi, V., see Canavero, S., **103** 223
Bourgeais, L., see Monconduit, L., **103** 81
Brecker, C., see Eisenberg, E., **103** 224
Brewer, R., Diabetic thoracic radiculopathy: an unusual cause of post-thoracotomy pain, **103** 219
Briggs, R.W., see Verne, G.N., **103** 97
Browne, J., see Alcock, E., **103** 207
Bruyer, R., see Legrain, V., **103** 237

Cahoon, E.E., see Sudoh, Y., **103** 47
Canavero, S., Bonicalzi, V., Spinal cord stimulation for central pain, **103** 223
Chapuy, E., see Marchand, F., **103** 229
Clark, A.J., see Lynch, M.E., **103** 109
Clipp, E., see Keefe, F.J., **103** 149
Cordella, J.V., see Weng, H.-R., **103** 129
Cousins, M.J., see Blyth, F.M., **103** 39
Cousins, M.J., see Siddall, P.J., **103** 249
Craft, R.M., see Stoffel, E.C., **103** 285
Croft, D.L., see Kehl, L.J., **103** 173
Crosson, B., see Verne, G.N., **103** 97
Cruccu, G., see Romaniello, A., **103** 31
Curzon, P., see Rueter, L.E., **103** 269

Dalton, J., see Keefe, F.J., **103** 155
Darnell, R., see Sterling, M., **103** 63
de Boer, J.B., see Terstegen, C., **103** 185
Del Bel, E.A., see Villarreal, C.F., **103** 161
Dertwinkel, R., see Maier, C., **103** 277
Dougherty, P.M., see Weng, H.-R., **103** 129
Dreyfuss, P., see Baker, R., **103** 209

Eisenberg, E., Brecker, C., Reply to Canavero and Bonicalzi's comments on Eisenberg and Brecker, Lumbar spinal cord stimulation for cervical-originated central pain: a case report (Pain 2002;100:299–301), **103** 224
Elsner, F., see Gaertner, J., **103** 215
Eschalier, A., see Marchand, F., **103** 229

Frisardi, G., see Romaniello, A., **103** 31
Furstenberg, C.P., see Keefe, F.J., **103** 155

Gaertner, J., Sabatowski, R., Elsner, F., Radbruch, L., Encapsulation of an intrathecal catheter, **103** 215
Gagliese, L., Katz, J., Age differences in postoperative pain are scale dependent: a comparison of measures of pain intensity and quality in younger and older surgical patients, **103** 11
Gamringer, U., see Willoch, F., **103** 117
Gerner, P., see Sudoh, Y., **103** 47
Gestoso, M., see Kovacs, F.M., **103** 259
Gil del Real, M.T., see Kovacs, F.M., **103** 259
Giphart, M.J., see van de Beek, W.-J.T., **103** 91
Gopinath, K.S., see Verne, G.N., **103** 97
Gottrup, H., Kristensen, A.D., Bach, F.W., Jensen, T.S., Aftersensations in experimental and clinical hypersensitivity, **103** 55
Greenwood, K.A., Thurston, R., Rumble, M., Waters, S.J., Keefe, F.J., Anger and persistent pain: current status and future directions, **103** 1
Guérit, J.-M., see Legrain, V., **103** 237

Hamamoto, D.T., see Kehl, L.J., **103** 173
Hernandez, A., see Marchand, F., **103** 229
Himes, N.C., see Verne, G.N., **103** 97
Hosbach, I., see Maier, C., **103** 277
Hurwitz, H., see Keefe, F.J., **103** 149

Ignacio Méndez, J., see Kovacs, F.M., **103** 259

Jensen, T.S., see Gottrup, H., **103** 55
Jensen, T.S., see Witting, N., **103** 73
Jourdan, D., see Marchand, F., **103** 229
Jull, G., see Sterling, M., **103** 63

Kasza, L., see Walker, P.W., **103** 321
Katz, J., see Gagliese, L., **103** 11
Keefe, F.J., Ahles, T.A., Porter, L.S., Sutton, L.M., McBride, C.M., Pope, M.S., McKinstry, E.T., Furstenberg, C.P., Dalton, J., Baucom, D.H., The self-efficacy of family caregivers for helping cancer patients manage pain at end-of-life, **103** 155
Keefe, F.J., Lipkus, I., Lefebvre, J.C., Hurwitz, H., Clipp, E., Smith, J., Porter, L., The social context of gastrointestinal cancer pain: a preliminary study examining the relation of patient pain catastrophizing to patient perceptions of social support and caregiver stress and negative responses, **103** 149
Keefe, F.J., see Greenwood, K.A., **103** 1

doi:10.1016/S0304-3959(03)00187-8

Kehl, L.J., Hamamoto, D.T., Wacnik, P.W., Croft, D.L., Norsted, B.D., Wilcox, G.L., Simone, D.A., A cannabinoid agonist differentially attenuates deep tissue hyperalgesia in animal models of cancer and inflammatory muscle pain, **103** 173
Kenardy, J., see Sterling, M., **103** 63
Klein, D., see Walker, P.W., **103** 321
Kohlhaas, K.L., see Rueter, L.E., **103** 269
Koot, H.M., see Terstegen, C., **103** 185
Kovacs, F.M., Gestoso, M., Gil del Real, M.T., López, J., Mufraggi, N., Ignacio Méndez, J., Risk factors for non-specific low back pain in schoolchildren and their parents: a population based study, **103** 259
Koval, K.J., see Morrison, R.S., **103** 303
Kristensen, A.D., see Gottrup, H., **103** 55

López, J., see Kovacs, F.M., **103** 259
Lefebvre, J.C., see Keefe, F.J., **103** 149
Legrain, V., Bruyer, R., Guérit, J.-M., Plaghki, L., Nociceptive processing in the human brain of infrequent task-relevant and task-irrelevant noxious stimuli. A study with event-related potentials evoked by CO_2 laser radiant heat stimuli, **103** 237
Lipkus, I., see Keefe, F.J., **103** 149
Low, P.A., see Sandroni, P., **103** 197
Lynch, M.E., Clark, A.J., Sawynok, J., Intravenous adenosine alleviates neuropathic pain: a double blind placebo controlled crossover trial using an enriched enrolment design, **103** 109

Magaziner, J., see Morrison, R.S., **103** 303
Maier, C., Dertwinkel, R., Mansourian, N., Hosbach, I., Schwenkreis, P., Senne, I., Skipka, G., Zenz, M., Tegenthoff, M., Efficacy of the NMDA-receptor antagonist memantine in patients with chronic phantom limb pain – results of a randomized double-blinded, placebo-controlled trial, **103** 277
Mansourian, N., see Maier, C., **103** 277
March, L.M., see Blyth, F.M., **103** 39
Marchand, F., Alloui, A., Chapuy, E., Jourdan, D., Pelissier, T., Ardid, D., Hernandez, A., Eschalier, A., Evidence for a monoamine mediated, opioid-independent, antihyperalgesic effect of venlafaxine, a non-tricyclic antidepressant, in a neurogenic pain model in rats, **103** 229
McBride, C.M., see Keefe, F.J., **103** 155
McCleane, G.J., Comment on: Serpell et al., gabapentin in neuropathic pain syndromes: a randomised double-blind, placebo controlled trial (Pain 2002; 99: 557–66), **103** 226
McClelland, J.M., see Siddall, P.J., **103** 249
McClelland, R.L., see Sandroni, P., **103** 197
McKinstry, E.T., see Keefe, F.J., **103** 155
McLaughlin, M.A., see Morrison, R.S., **103** 303
Medele, R., see Willoch, F., **103** 117
Mercer, S., see Baker, R., **103** 209
Meyer, M.D., see Rueter, L.E., **103** 269
Millar, J., see Schulte, D., **103** 137
Monconduit, L., Bourgeais, L., Bernard, J.-F., Villanueva, L., Convergence of cutaneous, muscular and visceral noxious inputs onto ventromedial thalamic neurons in the rat, **103** 81
Morrison, R.S., Magaziner, J., McLaughlin, M.A., Orosz, G., Silberzweig, S.B., Koval, K.J., Siu, A.L., The impact of post-operative pain on outcomes following hip fracture, **103** 303
Mufraggi, N., see Kovacs, F.M., **103** 259

Nicholas, M.K., see Blyth, F.M., **103** 39
Norsted, B.D., see Kehl, L.J., **103** 173

Orosz, G., see Morrison, R.S., **103** 303

Pelissier, T., see Marchand, F., **103** 229
Plaghki, L., see Legrain, V., **103** 237
Pope, M.S., see Keefe, F.J., **103** 155
Porter, L., see Keefe, F.J., **103** 149
Porter, L.S., see Keefe, F.J., **103** 155
Prado, W.A., see Villarreal, C.F., **103** 161
Price, D.D., see Verne, G.N., **103** 97

Radbruch, L., see Gaertner, J., **103** 215
Reeh, P.W., see Zimmermann, K., **103** 313
Regaard, A., see Alcock, E., **103** 207
Reid, A., see Sawynok, J., **103** 7
Robinson, M.E., see Verne, G.N., **103** 97
Roep, B.O., see van de Beek, W.-J.T., **103** 91
Romaniello, A., Cruccu, G., Frisardi, G., Arendt-Nielsen, L., Svensson, P., Assessment of nociceptive trigeminal pathways by laser-evoked potentials and laser silent periods in patients with painful temporomandibular disorders, **103** 31
Rueter, L.E., Kohlhaas, K.L., Curzon, P., Surowy, C.S., Meyer, M.D., Peripheral and central sites of action for A-85380 in the spinal nerve ligation model of neuropathic pain, **103** 269
Rumble, M., see Greenwood, K.A., **103** 1
Rutkowski, S.B., see Siddall, P.J., **103** 249

Sabatowski, R., see Gaertner, J., **103** 215
Sandroni, P., Benrud-Larson, L.M., McClelland, R.L., Low, P.A., Complex regional pain syndrome type I: incidence and prevalence in Olmsted county, a population-based study, **103** 197
Sawynok, J., Reid, A., Chronic intrathecal cannulas inhibit some and potentiate other behaviors elicited by formalin injection, **103** 7
Sawynok, J., see Lynch, M.E., **103** 109
Schulte, D., Millar, J., The effects of high- and low-intensity percutaneous stimulation on nitric oxide levels and spike activity in the superficial laminae of the spinal cord, **103** 137
Schwenkreis, P., see Maier, C., **103** 277
Senne, I., see Maier, C., **103** 277
Serpell, M.G., Neuropathic Pain Study Group, **103** 227
Siddall, P.J., McClelland, J.M., Rutkowski, S.B., Cousins, M.J., A longitudinal study of the prevalence and characteristics of pain in the first 5 years following spinal cord injury, **103** 249
Silberzweig, S.B., see Morrison, R.S., **103** 303
Simone, D.A., see Kehl, L.J., **103** 173
Sinnott, C.J., see Araujo, M.C., **103** 21
Siu, A.L., see Morrison, R.S., **103** 303
Skipka, G., see Maier, C., **103** 277
Smith, J., see Keefe, F.J., **103** 149
Sterling, M., Jull, G., Vicenzino, B., Kenardy, J., Darnell, R., Development of motor system dysfunction following whiplash injury, **103** 63
Steude, U., see Willoch, F., **103** 117
Stoffel, E.C., Ulibarri, C.M., Craft, R.M., Gonadal steroid hormone modulation of nociception, morphine antinociception and reproductive indices in male and female rats, **103** 285
Strichartz, G.R., see Araujo, M.C., **103** 21
Sudoh, Y., Cahoon, E.E., Gerner, P., Wang, G.K., Tricyclic antidepressants as long-acting local anesthetics, **103** 47
Surowy, C.S., see Rueter, L.E., **103** 269
Sutton, L.M., see Keefe, F.J., **103** 155
Svensson, P., see Romaniello, A., **103** 31
Svensson, P., see Witting, N., **103** 73

Tölle, T.R., see Willoch, F., **103** 117
Tegenthoff, M., see Maier, C., **103** 277
Terstegen, C., Koot, H.M., de Boer, J.B., Tibboel, D., Measuring pain in children with cognitive impairment: pain response to surgical procedures, **103** 185
Thurston, R., see Greenwood, K.A., **103** 1
Tibboel, D., see Terstegen, C., **103** 185

Ulibarri, C.M., see Stoffel, E.C., **103** 285

van de Beek, W.-J.T., Roep, B.O., van der Slik, A.R., Giphart, M.J., van Hilten, B.J., Susceptibility loci for complex regional pain syndrome, **103** 91
van der Slik, A.R., see van de Beek, W.-J.T., **103** 91
van Hilten, B.J., see van de Beek, W.-J.T., **103** 91
Verne, G.N., Himes, N.C., Robinson, M.E., Gopinath, K.S., Briggs, R.W., Crosson, B., Price, D.D., Central representation of visceral and cutaneous hypersensitivity in the irritable bowel syndrome, **103** 97
Vicenzino, B., see Sterling, M., **103** 63
Villanueva, L., see Monconduit, L., **103** 81
Villarreal, C.F., Del Bel, E.A., Prado, W.A., Involvement of the anterior pretectal nucleus in the control of persistent pain: a behavioral and c-Fos expression study in the rat, **103** 161

Wacnik, P.W., see Kehl, L.J., **103** 173
Walker, P.W., Klein, D., Kasza, L., High dose methadone and ventricular arrhythmias: a report of three cases, **103** 321
Wang, G.K., see Sudoh, Y., **103** 47
Waters, S.J., see Greenwood, K.A., **103** 1
Weng, H.-R., Cordella, J.V., Dougherty, P.M., Changes in sensory processing in the spinal dorsal horn accompany vincristine-induced hyperalgesia and allodynia, **103** 129
Wilcox, G.L., see Kehl, L.J., **103** 173
Willoch, F., Gamringer, U., Medele, R., Steude, U., Tölle, T.R., Analgesia by electrostimulation of the trigeminal ganglion in patients with trigeminopathic pain: a PET activation study, **103** 117
Witting, N., Svensson, P., Jensen, T.S., Differential recruitment of endogenous pain inhibitory systems in neuropathic pain patients, **103** 73

Zenz, M., see Maier, C., **103** 277
Zimmermann, K., Reeh, P.W., Averbeck, B., S(+)-flurbiprofen but not 5-HT_1 agonists suppress basal and stimulated CGRP and PGE_2 release from isolated rat dura mater, **103** 313

PAIN

Pain 103 (2003) 329–332

www.elsevier.com/locate/pain

Subject index Volume 103 (2003)

Adolescents
Risk factors for non-specific low back pain in schoolchildren and their parents: a population based study, **103**, 259
Aftersensation
Aftersensations in experimental and clinical hypersensitivity, **103**, 55
Allodynia
Changes in sensory processing in the spinal dorsal horn accompany vincristine-induced hyperalgesia and allodynia, **103**, 129
Allodynia
Differential recruitment of endogenous pain inhibitory systems in neuropathic pain patients, **103**, 73
Allodynia
Multiple phases of relief from experimental mechanical allodynia by systemic lidocaine: responses to early and late infusions, **103**, 21
Analgesia
Gonadal steroid hormone modulation of nociception, morphine antinociception and reproductive indices in male and female rats, **103**, 285
Anger
Anger and persistent pain: current status and future directions, **103**, 1
Anterior pretectal nucleus
Involvement of the anterior pretectal nucleus in the control of persistent pain: a behavioral and c-Fos expression study in the rat, **103**, 161
Assessment
Measuring pain in children with cognitive impairment: pain response to surgical procedures, **103**, 185
Bone cancer
A cannabinoid agonist differentially attenuates deep tissue hyperalgesia in animal models of cancer and inflammatory muscle pain, **103**, 173
Brain activation
Analgesia by electrostimulation of the trigeminal ganglion in patients with trigeminopathic pain: a PET activation study, **103**, 117
Cancer pain
Encapsulation of an intrathecal catheter, **103**, 215
Cancer patients
The self-efficacy of family caregivers for helping cancer patients manage pain at end-of-life, **103**, 155
Cancer
Changes in sensory processing in the spinal dorsal horn accompany vincristine-induced hyperalgesia and allodynia, **103**, 129
Cannabinoid receptors
A cannabinoid agonist differentially attenuates deep tissue hyperalgesia in animal models of cancer and inflammatory muscle pain, **103**, 173
Capsaicin
Aftersensations in experimental and clinical hypersensitivity, **103**, 55
Carrageenan inflammation
A cannabinoid agonist differentially attenuates deep tissue hyperalgesia in animal models of cancer and inflammatory muscle pain, **103**, 173
Catastrophizing
The social context of gastrointestinal cancer pain: a preliminary study examining the relation of patient pain catastrophizing to patient perceptions of social support and caregiver stress and negative responses, **103**, 149
Central hyperexcitability
Central representation of visceral and cutaneous hypersensitivity in the irritable bowel syndrome, **103**, 97
Cervical spine
Cervical transforaminal injection of corticosteroids into a radicular artery: a possible mechanism for spinal cord injury, **103**, 209
c-Fos
Involvement of the anterior pretectal nucleus in the control of persistent pain: a behavioral and c-Fos expression study in the rat, **103**, 161
Chest wall pain
Diabetic thoracic radiculopathy: an unusual cause of post-thoracotomy pain, **103**, 219
Children
Measuring pain in children with cognitive impairment: pain response to surgical procedures, **103**, 185
Chlorisondamine
Peripheral and central sites of action for A-85380 in the spinal nerve ligation model of neuropathic pain, **103**, 269
Chronic craniofacial pain
Assessment of nociceptive trigeminal pathways by laser-evoked potentials and laser silent periods in patients with painful temporomandibular disorders, **103**, 31
Chronic intrathecal cannula
Chronic intrathecal cannulas inhibit some and potentiate other behaviors elicited by formalin injection, **103**, 7
Chronic pain
Chronic pain, work performance and litigation, **103**, 39
Chung model
Peripheral and central sites of action for A-85380 in the spinal nerve ligation model of neuropathic pain, **103**, 269
Clinical trial
Intravenous adenosine alleviates neuropathic pain: a double blind placebo controlled crossover trial using an enriched enrolment design, **103**, 109
Clinical
Differential recruitment of endogenous pain inhibitory systems in neuropathic pain patients, **103**, 73
Colorectal distension
Convergence of cutaneous, muscular and visceral noxious inputs onto ventromedial thalamic neurons in the rat, **103**, 81
Complex regional pain syndrome
Susceptibility loci for complex regional pain syndrome, **103**, 91
Corticosteroids
Cervical transforaminal injection of corticosteroids into a radicular artery: a possible mechanism for spinal cord injury, **103**, 209
Cutaneous hyperalgesia
Central representation of visceral and cutaneous hypersensitivity in the irritable bowel syndrome, **103**, 97
CYP3A4
High dose methadone and ventricular arrhythmias: a report of three cases, **103**, 321
Descending inhibition
Differential recruitment of endogenous pain inhibitory systems in neuropathic pain patients, **103**, 73
Descending modulation

doi:10.1016/S0304-3959(03)00188-X

Involvement of the anterior pretectal nucleus in the control of persistent pain: a behavioral and c-Fos expression study in the rat, **103**, 161
Diabetic neuropathy
Diabetic thoracic radiculopathy: an unusual cause of post-thoracotomy pain, **103**, 219
Dorsal root ganglion
Peripheral and central sites of action for A-85380 in the spinal nerve ligation model of neuropathic pain, **103**, 269
Electrostimulation
Analgesia by electrostimulation of the trigeminal ganglion in patients with trigeminopathic pain: a PET activation study, **103**, 117
Encapsulation
Encapsulation of an intrathecal catheter, **103**, 215
Enriched enrolment
Intravenous adenosine alleviates neuropathic pain: a double blind placebo controlled crossover trial using an enriched enrolment design, **103**, 109
Epidemiology
Chronic pain, work performance and litigation, **103**, 39
Epidemiology
Risk factors for non-specific low back pain in schoolchildren and their parents: a population based study, **103**, 259
Estrogen
Gonadal steroid hormone modulation of nociception, morphine antinociception and reproductive indices in male and female rats, **103**, 285
Fast cyclic voltammetry
The effects of high- and low-intensity percutaneous stimulation on nitric oxide levels and spike activity in the superficial laminae of the spinal cord, **103**, 137
Fear of movement/re-injury
Development of motor system dysfunction following whiplash injury, **103**, 63
Formalin test
Chronic intrathecal cannulas inhibit some and potentiate other behaviors elicited by formalin injection, **103**, 7
Functional magnetic resonance imaging
Central representation of visceral and cutaneous hypersensitivity in the irritable bowel syndrome, **103**, 97
Gamma aminobutyric acid
The effects of high- and low-intensity percutaneous stimulation on nitric oxide levels and spike activity in the superficial laminae of the spinal cord, **103**, 137
Gasterointestinal cancer
The social context of gastrointestinal cancer pain: a preliminary study examining the relation of patient pain catastrophizing to patient perceptions of social support and caregiver stress and negative responses, **103**, 149
Gender
Gonadal steroid hormone modulation of nociception, morphine antinociception and reproductive indices in male and female rats, **103**, 285
Genetics
Susceptibility loci for complex regional pain syndrome, **103**, 91
Geriatrics
Age differences in postoperative pain are scale dependent: a comparison of measures of pain intensity and quality in younger and older surgical patients, **103**, 11
Grip force
A cannabinoid agonist differentially attenuates deep tissue hyperalgesia in animal models of cancer and inflammatory muscle pain, **103**, 173
Hip fracture
The impact of post-operative pain on outcomes following hip fracture, **103**, 303
HLA
Susceptibility loci for complex regional pain syndrome, **103**, 91
Hyperalgesia
A cannabinoid agonist differentially attenuates deep tissue hyperalgesia in animal models of cancer and inflammatory muscle pain, **103**, 173
Hypersensitivity
Aftersensations in experimental and clinical hypersensitivity, **103**, 55
Incisional pain
Involvement of the anterior pretectal nucleus in the control of persistent pain: a behavioral and c-Fos expression study in the rat, **103**, 161
Infection
Encapsulation of an intrathecal catheter, **103**, 215
Intercostal neuralgia
Diabetic thoracic radiculopathy: an unusual cause of post-thoracotomy pain, **103**, 219
Intraplantar
Peripheral and central sites of action for A-85380 in the spinal nerve ligation model of neuropathic pain, **103**, 269
Intrathecal catheter
Encapsulation of an intrathecal catheter, **103**, 215
Intravenous adenosine
Intravenous adenosine alleviates neuropathic pain: a double blind placebo controlled crossover trial using an enriched enrolment design, **103**, 109
Involuntary orientation of attention
Nociceptive processing in the human brain of infrequent task-relevant and task-irrelevant noxious stimuli. A study with event-related potentials evoked by CO_2 laser radiant heat stimuli, **103**, 237
Irritable bowel syndrome
Central representation of visceral and cutaneous hypersensitivity in the irritable bowel syndrome, **103**, 97
Laser evoked potentials
Nociceptive processing in the human brain of infrequent task-relevant and task-irrelevant noxious stimuli. A study with event-related potentials evoked by CO_2 laser radiant heat stimuli, **103**, 237
Laser silent periods
Assessment of nociceptive trigeminal pathways by laser-evoked potentials and laser silent periods in patients with painful temporomandibular disorders, **103**, 31
Laser-evoked potentials
Assessment of nociceptive trigeminal pathways by laser-evoked potentials and laser silent periods in patients with painful temporomandibular disorders, **103**, 31
Lidocaine
Multiple phases of relief from experimental mechanical allodynia by systemic lidocaine: responses to early and late infusions, **103**, 21
Litigation
Chronic pain, work performance and litigation, **103**, 39
Local anesthetics
Tricyclic antidepressants as long-acting local anesthetics, **103**, 47
Low back pain
Risk factors for non-specific low back pain in schoolchildren and their parents: a population based study, **103**, 259
Masseter muscle
Assessment of nociceptive trigeminal pathways by laser-evoked potentials and laser silent periods in patients with painful temporomandibular disorders, **103**, 31
McGill Pain Questionnaire
Age differences in postoperative pain are scale dependent: a comparison of measures of pain intensity and quality in younger and older surgical patients, **103**, 11
Memantine
Efficacy of the NMDA-receptor antagonist memantine in patients with chronic phantom limb pain – results of a randomized double-blinded, placebo-controlled trial, **103**, 277
Methadone
High dose methadone and ventricular arrhythmias: a report of three cases, **103**, 321
Migraine
S(+)-flurbiprofen but not 5-HT_1 agonists suppress basal and stimulated CGRP and PGE_2 release from isolated rat dura mater, **103**, 313
Monoamines

Evidence for a monoamine mediated, opioid-independent, antihyperalgesic effect of venlafaxine, a non-tricyclic antidepressant, in a neurogenic pain model in rats, **103**, 229

Motor cortex
Convergence of cutaneous, muscular and visceral noxious inputs onto ventromedial thalamic neurons in the rat, **103**, 81

Motor dysfunction
Development of motor system dysfunction following whiplash injury, **103**, 63

Mustard oil
Convergence of cutaneous, muscular and visceral noxious inputs onto ventromedial thalamic neurons in the rat, **103**, 81

N-Methyl-D-aspartate receptor antagonist
Efficacy of the NMDA-receptor antagonist memantine in patients with chronic phantom limb pain – results of a randomized double-blinded, placebo-controlled trial, **103**, 277

Nerve injury
Aftersensations in experimental and clinical hypersensitivity, **103**, 55

Neurogenic inflammation
S(+)-flurbiprofen but not 5-HT_1 agonists suppress basal and stimulated CGRP and PGE_2 release from isolated rat dura mater, **103**, 313

Neuropathic pain
Diabetic thoracic radiculopathy: an unusual cause of post-thoracotomy pain, **103**, 219

Neuropathic pain
Differential recruitment of endogenous pain inhibitory systems in neuropathic pain patients, **103**, 73

Neuropathic pain
Evidence for a monoamine mediated, opioid-independent, antihyperalgesic effect of venlafaxine, a non-tricyclic antidepressant, in a neurogenic pain model in rats, **103**, 229

Neuropathic pain
Intravenous adenosine alleviates neuropathic pain: a double blind placebo controlled crossover trial using an enriched enrolment design, **103**, 109

Neuropathic pain
Multiple phases of relief from experimental mechanical allodynia by systemic lidocaine: responses to early and late infusions, **103**, 21

Neuropathic pain
Tricyclic antidepressants as long-acting local anesthetics, **103**, 47

Neuropathic
A longitudinal study of the prevalence and characteristics of pain in the first 5 years following spinal cord injury, **103**, 249

Neuropathy
Analgesia by electrostimulation of the trigeminal ganglion in patients with trigeminopathic pain: a PET activation study, **103**, 117

Neuropathy
Changes in sensory processing in the spinal dorsal horn accompany vincristine-induced hyperalgesia and allodynia, **103**, 129

Neuropeptides
S(+)-flurbiprofen but not 5-HT_1 agonists suppress basal and stimulated CGRP and PGE_2 release from isolated rat dura mater, **103**, 313

Nicotinic acetylcholine receptors
Peripheral and central sites of action for A-85380 in the spinal nerve ligation model of neuropathic pain, **103**, 269

Nitric oxide
The effects of high- and low-intensity percutaneous stimulation on nitric oxide levels and spike activity in the superficial laminae of the spinal cord, **103**, 137

Non-steroidal antiinflammatory drug
S(+)-flurbiprofen but not 5-HT_1 agonists suppress basal and stimulated CGRP and PGE_2 release from isolated rat dura mater, **103**, 313

Novelty-P3
Nociceptive processing in the human brain of infrequent task-relevant and task-irrelevant noxious stimuli. A study with event-related potentials evoked by CO_2 laser radiant heat stimuli, **103**, 237

Opioid analgesics
The impact of post-operative pain on outcomes following hip fracture, **103**, 303

Opioids
Age differences in postoperative pain are scale dependent: a comparison of measures of pain intensity and quality in younger and older surgical patients, **103**, 11

Opioids
Evidence for a monoamine mediated, opioid-independent, antihyperalgesic effect of venlafaxine, a non-tricyclic antidepressant, in a neurogenic pain model in rats, **103**, 229

P2
Nociceptive processing in the human brain of infrequent task-relevant and task-irrelevant noxious stimuli. A study with event-related potentials evoked by CO_2 laser radiant heat stimuli, **103**, 237

P3a
Nociceptive processing in the human brain of infrequent task-relevant and task-irrelevant noxious stimuli. A study with event-related potentials evoked by CO_2 laser radiant heat stimuli, **103**, 237

P3b
Nociceptive processing in the human brain of infrequent task-relevant and task-irrelevant noxious stimuli. A study with event-related potentials evoked by CO_2 laser radiant heat stimuli, **103**, 237

Pain management
The self-efficacy of family caregivers for helping cancer patients manage pain at end-of-life, **103**, 155

Pain transmission
The effects of high- and low-intensity percutaneous stimulation on nitric oxide levels and spike activity in the superficial laminae of the spinal cord, **103**, 137

Pain
A longitudinal study of the prevalence and characteristics of pain in the first 5 years following spinal cord injury, **103**, 249

Pain
Analgesia by electrostimulation of the trigeminal ganglion in patients with trigeminopathic pain: a PET activation study, **103**, 117

Pain
Anger and persistent pain: current status and future directions, **103**, 1

Pain
Gonadal steroid hormone modulation of nociception, morphine antinociception and reproductive indices in male and female rats, **103**, 285

Pain
Measuring pain in children with cognitive impairment: pain response to surgical procedures, **103**, 185

Pain
Peripheral and central sites of action for A-85380 in the spinal nerve ligation model of neuropathic pain, **103**, 269

Pain
The social context of gastrointestinal cancer pain: a preliminary study examining the relation of patient pain catastrophizing to patient perceptions of social support and caregiver stress and negative responses, **103**, 149

Patient-controlled analgesia
Age differences in postoperative pain are scale dependent: a comparison of measures of pain intensity and quality in younger and older surgical patients, **103**, 11

Pediatric
Measuring pain in children with cognitive impairment: pain response to surgical procedures, **103**, 185

Persistent pain
Involvement of the anterior pretectal nucleus in the control of persistent pain: a behavioral and c-Fos expression study in the rat, **103**, 161

Phantom limb pain
Efficacy of the NMDA-receptor antagonist memantine in patients with chronic phantom limb pain – results of a randomized double-blinded, placebo-controlled trial, **103**, 277

Phantom

A longitudinal study of the prevalence and characteristics of pain in the first 5 years following spinal cord injury, **103**, 249
Placebo-controlled randomized trial
Efficacy of the NMDA-receptor antagonist memantine in patients with chronic phantom limb pain – results of a randomized double-blinded, placebo-controlled trial, **103**, 277
Positron emission tomography
Analgesia by electrostimulation of the trigeminal ganglion in patients with trigeminopathic pain: a PET activation study, **103**, 117
Postoperative pain
Age differences in postoperative pain are scale dependent: a comparison of measures of pain intensity and quality in younger and older surgical patients, **103**, 11
Post-operative pain
The impact of post-operative pain on outcomes following hip fracture, **103**, 303
Post-thoracotomy pain
Diabetic thoracic radiculopathy: an unusual cause of post-thoracotomy pain, **103**, 219
Prevalence
A longitudinal study of the prevalence and characteristics of pain in the first 5 years following spinal cord injury, **103**, 249
Prevalence
Risk factors for non-specific low back pain in schoolchildren and their parents: a population based study, **103**, 259
Profound cognitive impairment
Measuring pain in children with cognitive impairment: pain response to surgical procedures, **103**, 185
Progesterone
Gonadal steroid hormone modulation of nociception, morphine antinociception and reproductive indices in male and female rats, **103**, 285
Psychometrics
Age differences in postoperative pain are scale dependent: a comparison of measures of pain intensity and quality in younger and older surgical patients, **103**, 11
Radicular artery
Cervical transforaminal injection of corticosteroids into a radicular artery: a possible mechanism for spinal cord injury, **103**, 209
Radiculopathy
Diabetic thoracic radiculopathy: an unusual cause of post-thoracotomy pain, **103**, 219
Random digit dialling methods
Chronic pain, work performance and litigation, **103**, 39
Region cerebral blood flow
Analgesia by electrostimulation of the trigeminal ganglion in patients with trigeminopathic pain: a PET activation study, **103**, 117
Risk factors
Risk factors for non-specific low back pain in schoolchildren and their parents: a population based study, **103**, 259
School children
Risk factors for non-specific low back pain in schoolchildren and their parents: a population based study, **103**, 259
Sciatic nerve block
Tricyclic antidepressants as long-acting local anesthetics, **103**, 47
Self-efficacy
The self-efficacy of family caregivers for helping cancer patients manage pain at end-of-life, **103**, 155
Sensory processing
Changes in sensory processing in the spinal dorsal horn accompany vincristine-induced hyperalgesia and allodynia, **103**, 129
Serotonin receptor agonist
S(+)-flurbiprofen but not 5-HT_1 agonists suppress basal and stimulated CGRP and PGE_2 release from isolated rat dura mater, **103**, 313
Spike activity
The effects of high- and low-intensity percutaneous stimulation on nitric oxide levels and spike activity in the superficial laminae of the spinal cord, **103**, 137
Spinal cord injuries
A longitudinal study of the prevalence and characteristics of pain in the first 5 years following spinal cord injury, **103**, 249
Spinal cord injury
Cervical transforaminal injection of corticosteroids into a radicular artery: a possible mechanism for spinal cord injury, **103**, 209
Spinal nerve ligation
Multiple phases of relief from experimental mechanical allodynia by systemic lidocaine: responses to early and late infusions, **103**, 21
Spinal opioids
Encapsulation of an intrathecal catheter, **103**, 215
Survey
Chronic pain, work performance and litigation, **103**, 39
Temporal summation
Aftersensations in experimental and clinical hypersensitivity, **103**, 55
Temporomandibular disorders
Assessment of nociceptive trigeminal pathways by laser-evoked potentials and laser silent periods in patients with painful temporomandibular disorders, **103**, 31
Testosterone
Gonadal steroid hormone modulation of nociception, morphine antinociception and reproductive indices in male and female rats, **103**, 285
Tonic dystonia
Susceptibility loci for complex regional pain syndrome, **103**, 91
Torsades de pointes
High dose methadone and ventricular arrhythmias: a report of three cases, **103**, 321
Transforaminal injection
Cervical transforaminal injection of corticosteroids into a radicular artery: a possible mechanism for spinal cord injury, **103**, 209
Trauma
Susceptibility loci for complex regional pain syndrome, **103**, 91
Treatment
Anger and persistent pain: current status and future directions, **103**, 1
Tricyclic antidepressants
Evidence for a monoamine mediated, opioid-independent, antihyperalgesic effect of venlafaxine, a non-tricyclic antidepressant, in a neurogenic pain model in rats, **103**, 229
Tricyclic antidepressants
Tricyclic antidepressants as long-acting local anesthetics, **103**, 47
Venlafaxine
Evidence for a monoamine mediated, opioid-independent, antihyperalgesic effect of venlafaxine, a non-tricyclic antidepressant, in a neurogenic pain model in rats, **103**, 229
Ventricular arrhythmia
High dose methadone and ventricular arrhythmias: a report of three cases, **103**, 321
Vincristine-induced hyperalgesia
Changes in sensory processing in the spinal dorsal horn accompany vincristine-induced hyperalgesia and allodynia, **103**, 129
Visceral hypersensitivity
Central representation of visceral and cutaneous hypersensitivity in the irritable bowel syndrome, **103**, 97
Visceral pain
Convergence of cutaneous, muscular and visceral noxious inputs onto ventromedial thalamic neurons in the rat, **103**, 81
Voltage-gated sodium channel
Tricyclic antidepressants as long-acting local anesthetics, **103**, 47
Whiplash
Development of motor system dysfunction following whiplash injury, **103**, 63
WIN 55,212-2
A cannabinoid agonist differentially attenuates deep tissue hyperalgesia in animal models of cancer and inflammatory muscle pain, **103**, 173
Work performance
Chronic pain, work performance and litigation, **103**, 39